


Description

Manufactured from segments.



Dimensions



Ød nom	L mm	m kg
80	100	0,3
100	100	0,4
125	125	0,6
160	160	1,0
180	180	1,2
200	200	1,6
224	224	1,8
250	250	2,2
280	280	2,5
300	300	2,8
315	315	3,1

Weight can vary ±10%

Order code

Product index _____ 8162
 Angle _____ 90
 Dimension Ød _____ 300


Example: 816290300 - 90° Ø300

Description

Manufactured from segments.



Dimensions



Ød nom	L mm	m kg
80	64	0,3
100	64	0,4
125	72	0,5
160	92	1,0
180	104	1,2
200	115	1,3
224	130	1,4
250	144	1,5
280	162	1,8
300	173	2,0
315	182	2,1

Weight can vary ±10%

Order code

Product index 8162 60 300
 Angle _____
 Dimension Ød _____


Example: 816260300 - 60° Ø300

Description

Manufactured from segments.



Dimensions



Ød nom	L mm	m kg
80	41	0,2
100	41	0,3
125	52	0,4
160	66	0,6
180	75	0,7
200	83	0,9
224	93	1,2
250	104	1,3
280	116	1,5
300	124	1,7
315	130	1,8

Weight can vary ±10%

Order code

Product index 8162 45 300
Angle _____
Dimension Ød _____


Example: 816245300 - 45° Ø300

Description

Manufactured from segments.



Dimensions



Ød nom	L mm	m kg
80	27	0,2
100	27	0,3
125	33	0,3
160	43	0,5
180	48	0,6
200	54	0,7
224	60	0,8
250	67	1,0
280	75	1,1
300	80	1,2
315	84	1,3

Weight can vary ±10%

Order code

Product index 8162 30 300
Angle _____
Dimension Ød _____


Example: 816230300 - 30° Ø300

Description

Manufactured from segments.



Dimensions



Ød nom	L mm	m kg
80	13	0,2
100	13	0,3
125	16	0,3
160	21	0,5
180	23	0,6
200	26	0,6
224	30	0,8
250	33	1,0
280	45	1,0
300	50	1,1
315	50	1,2

Weight can vary ±10%

Order code



Example: 816215300 - 15° Ø300